## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	(evaporator same wick same reinforc\$3)	USPAT	OR	ON	2009/01/04 22:44
L2	5	(evaporator same wick same reinforc\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/04 22:44
L3	0	(flat with evaporator) same wick same (rod with support\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/04 22:45
L4	4	(flat with evaporator) same wick same spacer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/04 22:45
L5	1	(flat with evaporator) same wick same rod	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/04 22:46
L6	0	(flat with (heat adj pipe)) same (reinforc \$3 with rod)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/04 22:47
L7	1	(flat with (heat adj pipe)) same (support \$3 with rod)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/04 22:47
L8	6	(flat with (heat adj pipe)) same reinforc\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/04 22:48

L9	14	(flat with (heat adj pipe)) same spacer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/01/04 22:49
L10	54	("2259433"   "3305005"   "3498369"   "3613778").PN. OR ("3680189").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/04 22:51
L11	12	("20010004934"   "20020020518"   "3680189"   "3734173"   "3749159"   "3901311"   "4046190"   "5465782"   "5975841"   "6269866"   "6293333"   "6410982").PN. OR ("6782942").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/04 22:55
L12	12	(wick with spray with top)	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/04 23:14
L13	4500	((wick or capillary) same (discharg\$3 with (pipe or tube)))	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/04 23:15
L14	807	((wick or capillary) same (discharg\$3 with (pipe or tube))) same evaporator	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/04 23:16
L15	501	((wick or capillary) same (discharg\$3 with (pipe or tube))) same evaporator same liquid	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/04 23:16
L16	18	15 and (heat adj pipe)	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/04 23:16
L17	76	((wick or capillary) same (discharg\$3 with (pipe or tube))) same evaporator same liquid same distribut\$3	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/04 23:17
L18	1552	165/104.21.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/04 23:19
L19	1317	165/104.26.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/04 23:19

L20	48	165/104.24.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/04 23:20
L21	108	165/104.28.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/04 23:21
L22	2695	165/104.33.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/04 23:21
L23	1522	361/700.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/04 23:21
L24	611	257/715.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2009/01/04 23:21

## 1/4/09 11:22:06 PM

 $\hbox{C:$\setminus Documents$ and Settings$ $\top Duong2$ My Documents$ EAST$ Workspaces$ thermosyphon-dimension.wsp } \\$